Events

Theresa Henze - 2026-10-23 - Miscellaneous

User Events

`LOGIN` - Login

`LOGIN_ERROR` - Login failed

`REGISTER` - Registration

`REGISTER_ERROR` - Registration failed

`LOGOUT` - Logout

`LOGOUT_ERROR` - Logout failed

Possible causes:

- Cookie not found
- Token invalid
- Session expired
- Session application differs from application in ID token
- Redirect URI invalid
- Backchannel logout failed
- If `post_logout_redirect_uri` was set, then `client_id` or `id_token_hint` was missing
- With OIDC:
    - User session not found:
        - `state` parameter not set
        - Session not found
        - Session status differs
- With SAML:
    - Application not found
    - Application does not support SAML
    - Invalid SAML response

`CODE_TO_TOKEN` - Login to application

`CODE_TO_TOKEN_ERROR` - Login to application failed

`CLIENT_LOGIN` - API login

`CLIENT_LOGIN_ERROR` - API login failed

`REFRESH_TOKEN` - Access token refresh

`REFRESH_TOKEN_ERROR` - Access token refresh failed

Possible causes:

- Application policy not fulfilled
- Action not allowed
- Token invalid

`INTROSPECT_TOKEN` - Access token introspection

INTROSPECT_TOKEN_ERROR - Access token introspection failed

FEDERATED_IDENTITY_LINK - Linking of external identity

FEDERATED_IDENTITY_LINK_ERROR - Linking of external identity failed

REMOVE_FEDERATED_IDENTITY - Removal of external identity

REMOVE_FEDERATED_IDENTITY_ERROR - Removal of external identity failed

UPDATE_EMAIL - Email update

UPDATE_EMAIL_ERROR - Email update failed

UPDATE_PROFILE - User profile update

UPDATE_PROFILE_ERROR - User profile update failed

UPDATE_PASSWORD - Password update

UPDATE_PASSWORD_ERROR - Password update failed

UPDATE_TOTP - MFA token update

UPDATE_TOTP_ERROR - MFA token update failed

VERIFY_EMAIL - Email verification

VERIFY_EMAIL_ERROR - Email verification failed

VERIFY_PROFILE - Profile verification

VERIFY_PROFILE_ERROR - Profile verification failed

REMOVE_TOTP - MFA token removal

REMOVE_TOTP_ERROR - MFA token removal failed

GRANT_CONSENT - Consent granted

GRANT_CONSENT_ERROR - Granting consent failed

UPDATE_CONSENT - Consent updated

UPDATE_CONSENT_ERROR - Updating consent failed

REVOKE_GRANT - Consent revoked

REVOKE_GRANT_ERROR - Revoking consent failed

SEND_VERIFY_EMAIL - Sending of verification email

SEND_VERIFY_EMAIL_ERROR - Sending of verification email failed

SEND_RESET_PASSWORD - Sending of password reset email

SEND_RESET_PASSWORD_ERROR - Sending of password reset email failed

SEND_IDENTITY_PROVIDER_LINK - Sending of account linking email

SEND_IDENTITY_PROVIDER_LINK_ERROR - Sending of account linking email failed

RESET_PASSWORD - Password reset

RESET_PASSWORD_ERROR - Password reset failed

RESTART_AUTHENTICATION - Login restart

`RESTART_AUTHENTICATION_ERROR` - Login restart failed

Possible causes:

- No SSL
- Instance deactivated
- Cookie not found
- Cookie and `auth_session` parameter do not match
- Data in client login request invalid
- Already logged in

`INVALID_SIGNATURE` - Invalid signature

`INVALID_SIGNATURE_ERROR` - Evaluation of invalid signature failed

`REGISTER_NODE` - Registration of application node

`REGISTER_NODE_ERROR` - Registration of application node failed

`UNREGISTER_NODE` - Removal of application node

`UNREGISTER_NODE_ERROR` - Removal of application node failed

`USER_INFO_REQUEST` - Retrieval of user information

`USER_INFO_REQUEST_ERROR` - Retrieval of user information failed

`IDENTITY_PROVIDER_LINK_ACCOUNT` - Account linking

`IDENTITY_PROVIDER_LINK_ACCOUNT_ERROR` - Account linking failed

`IDENTITY_PROVIDER_LOGIN` - Login using login provider

`IDENTITY_PROVIDER_LOGIN_ERROR` - Login using login provider failed

`IDENTITY_PROVIDER_FIRST_LOGIN` - First login using login provider

`IDENTITY_PROVIDER_FIRST_LOGIN_ERROR` - First login using login provider failed

`IDENTITY_PROVIDER_POST_LOGIN` - Post-login process of login provider

`IDENTITY_PROVIDER_POST_LOGIN_ERROR` - Post-login process of login provider failed

`IDENTITY_PROVIDER_RESPONSE` - Data retrieval from login provider

`IDENTITY_PROVIDER_RESPONSE_ERROR` - Data retrieval from login provider failed

`IDENTITY_PROVIDER_RETRIEVE_TOKEN` - Data request to login provider

`IDENTITY_PROVIDER_RETRIEVE_TOKEN_ERROR` - Data request to login provider failed

`IMPERSONATE` - User account impersonation

`IMPERSONATE_ERROR` - User account impersonation failed

`CUSTOM_REQUIRED_ACTION` - Execution of required user action

`CUSTOM_REQUIRED_ACTION_ERROR` - Execution of required user action failed

The possible causes depend on the respective required user action.

Possible causes:

- Terms of use rejected
- Cookie not found
- Token invalid
- Session expired
- Application not found
- Application deactivated

- Action code invalid
- Action code expired
- Session for action code expired

`EXECUTE_ACTIONS` - Execution of user actions

`EXECUTE_ACTIONS_ERROR` - Execution of user actions failed

`EXECUTE_ACTION_TOKEN` - Use of action link

`EXECUTE_ACTION_TOKEN_ERROR` - Use of action link failed

Possible causes:

- Action code invalid
- Action code expired
- Session for action code expired

`CLIENT_INFO` - Application information request

`CLIENT_INFO_ERROR` - Application information request failed

`CLIENT_REGISTER` - Registration of application

`CLIENT_REGISTER_ERROR` - Registration of application failed

`CLIENT_UPDATE` - Update of application

`CLIENT_UPDATE_ERROR` - Update of application failed

`CLIENT_DELETE` - Deletion of application

`CLIENT_DELETE_ERROR` - Deletion of application failed

`CLIENT_INITIATED_ACCOUNT_LINKING` - Account linking by application

`CLIENT_INITIATED_ACCOUNT_LINKING_ERROR` - Account linking by application failed

`TOKEN_EXCHANGE` - Exchange of access token

`TOKEN_EXCHANGE_ERROR` - Exchange of access token failed

`OAUTH2_DEVICE_AUTH` - Device login using OAuth2

`OAUTH2_DEVICE_AUTH_ERROR` - Device login using OAuth2 failed

`OAUTH2_DEVICE_VERIFY_USER_CODE` - Verification of OAuth2 device login

`OAUTH2_DEVICE_VERIFY_USER_CODE_ERROR` - Verification of OAuth2 device login failed

`OAUTH2_DEVICE_CODE_TO_TOKEN` - Completion of OAuth2 device login

`OAUTH2_DEVICE_CODE_TO_TOKEN_ERROR` - Completion of OAuth2 device login failed

`AUTHREQID_TO_TOKEN` - Completion of decoupled login (CIBA)

`AUTHREQID_TO_TOKEN_ERROR` - Completion of decoupled login (CIBA) failed

`PERMISSION_TOKEN` - Retrieval of permission token

`PERMISSION_TOKEN_ERROR` - Retrieval of permission token failed

`DELETE_ACCOUNT` - Deletion of account

`DELETE_ACCOUNT_ERROR` - Deletion of account failed

`PUSHED_AUTHORIZATION_REQUEST` - Pushed authorization request

`PUSHED_AUTHORIZATION_REQUEST_ERROR` - Pushed authorization request failed

`USER_DISABLED_BY_PERMANENT_LOCKOUT` - User permanently locked out

`USER_DISABLED_BY_PERMANENT_LOCKOUT_ERROR` - Permanent lockout of user failed

`USER_DISABLED_BY_TEMPORARY_LOCKOUT` - User temporarily locked out

`USER_DISABLED_BY_TEMPORARY_LOCKOUT_ERROR` - Temporary lockout of user failed

`OAUTH2_EXTENSION_GRANT` - Token request using extension grant

Only emitted by custom grant type extensions; Bare.ID currently includes none.

`OAUTH2_EXTENSION_GRANT_ERROR` - Token request using extension grant failed

`FEDERATED_IDENTITY_OVERRIDE_LINK` - Override of external identity

`FEDERATED_IDENTITY_OVERRIDE_LINK_ERROR` - Override of external identity failed

`INVITE_ORG` - User invited to organization

`INVITE_ORG_ERROR` - Invitation of user to organization failed

`UPDATE_CREDENTIAL` - Credential update

`UPDATE_CREDENTIAL_ERROR` - Credential update failed

`REMOVE_CREDENTIAL` - Credential removal

`REMOVE_CREDENTIAL_ERROR` - Credential removal failed

`USER_SESSION_DELETED` - User session deleted

`USER_SESSION_DELETED_ERROR` - Deletion of user session failed

`VERIFIABLE_CREDENTIAL_REQUEST` - Verifiable credential request

`VERIFIABLE_CREDENTIAL_REQUEST_ERROR` - Verifiable credential request failed

`VERIFIABLE_CREDENTIAL_OFFER_REQUEST` - Verifiable credential offer request

`VERIFIABLE_CREDENTIAL_OFFER_REQUEST_ERROR` - Verifiable credential offer request failed

`VERIFIABLE_CREDENTIAL_NONCE_REQUEST` - Verifiable credential nonce request

`VERIFIABLE_CREDENTIAL_NONCE_REQUEST_ERROR` - Verifiable credential nonce request failed

`VERIFIABLE_CREDENTIAL_CREATE_OFFER` - Creation of verifiable credential offer

`VERIFIABLE_CREDENTIAL_CREATE_OFFER_ERROR` - Creation of verifiable credential offer failed

`VERIFIABLE_CREDENTIAL_PRE_AUTHORIZED_GRANT` - Token request with pre-authorized code for verifiable credential

`VERIFIABLE_CREDENTIAL_PRE_AUTHORIZED_GRANT_ERROR` - Token request with pre-authorized code for verifiable credential failed

`JWT_AUTHORIZATION_GRANT` - Token request using JWT assertion

`JWT_AUTHORIZATION_GRANT_ERROR` - Token request using JWT assertion failed

`VALIDATE_ACCESS_TOKEN` - Access token validation

`VALIDATE_ACCESS_TOKEN_ERROR` - Access token validation failed

Administrative Events

`ADMIN_CREATE_REALM` - Admin: Instance created

`ADMIN_UPDATE_REALM` - Admin: Instance updated

`ADMIN_DELETE_REALM` - Admin: Instance deleted

`ADMIN_ACTION_REALM` - Admin: Action on instance executed

`ADMIN_CREATE_REALM_ROLE` - Admin: Role created

`ADMIN_UPDATE_REALM_ROLE` - Admin: Role updated

`ADMIN_DELETE_REALM_ROLE` - Admin: Role deleted

`ADMIN_ACTION_REALM_ROLE` - Admin: Action on role executed

`ADMIN_CREATE_REALM_ROLE_MAPPING` - Admin: Role assignment created

`ADMIN_UPDATE_REALM_ROLE_MAPPING` - Admin: Role assignment updated

`ADMIN_DELETE_REALM_ROLE_MAPPING` - Admin: Role assignment deleted

`ADMIN_ACTION_REALM_ROLE_MAPPING` - Admin: Action on role assignment executed

`ADMIN_CREATE_REALM_SCOPE_MAPPING` - Admin: Instance role scope assignment created

`ADMIN_UPDATE_REALM_SCOPE_MAPPING` - Admin: Instance role scope assignment updated

`ADMIN_DELETE_REALM_SCOPE_MAPPING` - Admin: Instance role scope assignment deleted

`ADMIN_ACTION_REALM_SCOPE_MAPPING` - Admin: Action on instance role scope assignment executed

`ADMIN_CREATE_AUTH_FLOW` - Admin: Login process created

`ADMIN_UPDATE_AUTH_FLOW` - Admin: Login process updated

`ADMIN_DELETE_AUTH_FLOW` - Admin: Login process deleted

`ADMIN_ACTION_AUTH_FLOW` - Admin: Action on login process executed

`ADMIN_CREATE_AUTH_EXECUTION_FLOW` - Admin: Login process detail created

`ADMIN_UPDATE_AUTH_EXECUTION_FLOW` - Admin: Login process detail updated

`ADMIN_DELETE_AUTH_EXECUTION_FLOW` - Admin: Login process detail deleted

`ADMIN_ACTION_AUTH_EXECUTION_FLOW` - Admin: Action on login process detail executed

`ADMIN_CREATE_AUTH_EXECUTION` - Admin: Login process action created

`ADMIN_UPDATE_AUTH_EXECUTION` - Admin: Login process action updated

`ADMIN_DELETE_AUTH_EXECUTION` - Admin: Login process action deleted

`ADMIN_ACTION_AUTH_EXECUTION` - Admin: Action on login process action executed

`ADMIN_CREATE_AUTHENTICATOR_CONFIG` - Admin: Login process configuration created

`ADMIN_UPDATE_AUTHENTICATOR_CONFIG` - Admin: Login process configuration updated

ADMIN_DELETE_AUTHENTICATOR_CONFIG - Admin: Login process configuration deleted

ADMIN_ACTION_AUTHENTICATOR_CONFIG - Admin: Action on login process configuration executed

ADMIN_CREATE_REQUIRED_ACTION - Admin: Required user action created

ADMIN_UPDATE_REQUIRED_ACTION - Admin: Required user action updated

ADMIN_DELETE_REQUIRED_ACTION - Admin: Required user action deleted

ADMIN_ACTION_REQUIRED_ACTION - Admin: Action on required user action executed

ADMIN_CREATE_IDENTITY_PROVIDER - Admin: Login provider created

ADMIN_UPDATE_IDENTITY_PROVIDER - Admin: Login provider updated

ADMIN_DELETE_IDENTITY_PROVIDER - Admin: Login provider deleted

ADMIN_ACTION_IDENTITY_PROVIDER - Admin: Action on login provider executed

ADMIN_CREATE_IDENTITY_PROVIDER_MAPPER - Admin: Login provider mapper created

ADMIN_UPDATE_IDENTITY_PROVIDER_MAPPER - Admin: Login provider mapper updated

ADMIN_DELETE_IDENTITY_PROVIDER_MAPPER - Admin: Login provider mapper deleted

ADMIN_ACTION_IDENTITY_PROVIDER_MAPPER - Admin: Action on login provider mapper executed

ADMIN_CREATE_PROTOCOL_MAPPER - Admin: Application mapper created

ADMIN_UPDATE_PROTOCOL_MAPPER - Admin: Application mapper updated

ADMIN_DELETE_PROTOCOL_MAPPER - Admin: Application mapper deleted

ADMIN_ACTION_PROTOCOL_MAPPER - Admin: Action on application mapper executed

ADMIN_CREATE_USER - Admin: User created

ADMIN_UPDATE_USER - Admin: User updated

ADMIN_DELETE_USER - Admin: User deleted

ADMIN_ACTION_USER - Admin: Action on user executed

ADMIN_CREATE_USER_LOGIN_FAILURE - Admin: Login lockout created

ADMIN_UPDATE_USER_LOGIN_FAILURE - Admin: Login lockout updated

ADMIN_DELETE_USER_LOGIN_FAILURE - Admin: Login lockout cleared

ADMIN_ACTION_USER_LOGIN_FAILURE - Admin: Action on login lockout executed

ADMIN_CREATE_USER_SESSION - Admin: User session created

ADMIN_UPDATE_USER_SESSION - Admin: User session updated

ADMIN_DELETE_USER_SESSION - Admin: User session deleted

ADMIN_ACTION_USER_SESSION - Admin: Action on user session executed

ADMIN_CREATE_USER_FEDERATION_PROVIDER - Admin: Federation created

ADMIN_UPDATE_USER_FEDERATION_PROVIDER - Admin: Federation updated

ADMIN_DELETE_USER_FEDERATION_PROVIDER - Admin: Federation deleted

ADMIN_ACTION_USER_FEDERATION_PROVIDER - Admin: Action on federation executed

ADMIN_CREATE_USER_FEDERATION_MAPPER - Admin: Federation mapper created

ADMIN_UPDATE_USER_FEDERATION_MAPPER - Admin: Federation mapper updated

ADMIN_DELETE_USER_FEDERATION_MAPPER - Admin: Federation mapper deleted

ADMIN_ACTION_USER_FEDERATION_MAPPER - Admin: Action on federation mapper executed

ADMIN_CREATE_GROUP - Admin: Group created

ADMIN_UPDATE_GROUP - Admin: Group updated

ADMIN_DELETE_GROUP - Admin: Group deleted

ADMIN_ACTION_GROUP - Admin: Action on group executed

ADMIN_CREATE_GROUP_MEMBERSHIP - Admin: Group assignment created

ADMIN_UPDATE_GROUP_MEMBERSHIP - Admin: Group assignment updated

ADMIN_DELETE_GROUP_MEMBERSHIP - Admin: Group assignment deleted

ADMIN_ACTION_GROUP_MEMBERSHIP - Admin: Action on group assignment executed

ADMIN_CREATE_CLIENT - Admin: Application created

ADMIN_UPDATE_CLIENT - Admin: Application updated

ADMIN_DELETE_CLIENT - Admin: Application deleted

ADMIN_ACTION_CLIENT - Admin: Action on application executed

ADMIN_CREATE_CLIENT_INITIAL_ACCESS_MODEL - Admin: Application registration created

ADMIN_UPDATE_CLIENT_INITIAL_ACCESS_MODEL - Admin: Application registration updated

ADMIN_DELETE_CLIENT_INITIAL_ACCESS_MODEL - Admin: Application registration deleted

ADMIN_ACTION_CLIENT_INITIAL_ACCESS_MODEL - Admin: Action on application registration executed

ADMIN_CREATE_CLIENT_ROLE - Admin: Application role created

ADMIN_UPDATE_CLIENT_ROLE - Admin: Application role updated

ADMIN_DELETE_CLIENT_ROLE - Admin: Application role deleted

ADMIN_ACTION_CLIENT_ROLE - Admin: Action on application role executed

ADMIN_CREATE_CLIENT_ROLE_MAPPING - Admin: Application role assignment created

ADMIN_UPDATE_CLIENT_ROLE_MAPPING - Admin: Application role assignment updated

ADMIN_DELETE_CLIENT_ROLE_MAPPING - Admin: Application role assignment deleted

ADMIN_ACTION_CLIENT_ROLE_MAPPING - Admin: Action on application role assignment executed

ADMIN_CREATE_CLIENT_SCOPE - Admin: Application scope created

ADMIN_UPDATE_CLIENT_SCOPE - Admin: Application scope updated

ADMIN_DELETE_CLIENT_SCOPE - Admin: Application scope deleted

ADMIN_ACTION_CLIENT_SCOPE - Admin: Action on application scope executed

ADMIN_CREATE_CLIENT_SCOPE_MAPPING - Admin: Application role scope assignment created

ADMIN_UPDATE_CLIENT_SCOPE_MAPPING - Admin: Application role scope assignment updated

ADMIN_DELETE_CLIENT_SCOPE_MAPPING - Admin: Application role scope assignment deleted

ADMIN_ACTION_CLIENT_SCOPE_MAPPING - Admin: Action on application role scope assignment executed

ADMIN_CREATE_CLIENT_SCOPE_CLIENT_MAPPING - Admin: Application access created

ADMIN_UPDATE_CLIENT_SCOPE_CLIENT_MAPPING - Admin: Application access updated

ADMIN_DELETE_CLIENT_SCOPE_CLIENT_MAPPING - Admin: Application access deleted

ADMIN_ACTION_CLIENT_SCOPE_CLIENT_MAPPING - Admin: Action on application access executed

ADMIN_CREATE_CLUSTER_NODE - Admin: Cluster node created

ADMIN_UPDATE_CLUSTER_NODE - Admin: Cluster node updated

ADMIN_DELETE_CLUSTER_NODE - Admin: Cluster node deleted

ADMIN_ACTION_CLUSTER_NODE - Admin: Action on cluster node executed

ADMIN_CREATE_COMPONENT - Admin: Component created

ADMIN_UPDATE_COMPONENT - Admin: Component updated

ADMIN_DELETE_COMPONENT - Admin: Component deleted

ADMIN_ACTION_COMPONENT - Admin: Action on component executed

ADMIN_CREATE_AUTHORIZATION_RESOURCE_SERVER - Admin: Resource server created

ADMIN_UPDATE_AUTHORIZATION_RESOURCE_SERVER - Admin: Resource server updated

ADMIN_DELETE_AUTHORIZATION_RESOURCE_SERVER - Admin: Resource server deleted

ADMIN_ACTION_AUTHORIZATION_RESOURCE_SERVER - Admin: Action on resource server executed

ADMIN_CREATE_AUTHORIZATION_RESOURCE - Admin: Authorization resource created

ADMIN_UPDATE_AUTHORIZATION_RESOURCE - Admin: Authorization resource updated

ADMIN_DELETE_AUTHORIZATION_RESOURCE - Admin: Authorization resource deleted

ADMIN_ACTION_AUTHORIZATION_RESOURCE - Admin: Action on authorization resource executed

ADMIN_CREATE_AUTHORIZATION_SCOPE - Admin: Authorization scope created

ADMIN_UPDATE_AUTHORIZATION_SCOPE - Admin: Authorization scope updated

ADMIN_DELETE_AUTHORIZATION_SCOPE - Admin: Authorization scope deleted

ADMIN_ACTION_AUTHORIZATION_SCOPE - Admin: Action on authorization scope executed

ADMIN_CREATE_AUTHORIZATION_POLICY - Admin: Authorization policy created

ADMIN_UPDATE_AUTHORIZATION_POLICY - Admin: Authorization policy updated

ADMIN_DELETE_AUTHORIZATION_POLICY - Admin: Authorization policy deleted

ADMIN_ACTION_AUTHORIZATION_POLICY - Admin: Action on authorization policy executed

ADMIN_CREATE_CUSTOM - Admin: Administrative action: object created

ADMIN_UPDATE_CUSTOM - Admin: Administrative action: object updated

ADMIN_DELETE_CUSTOM - Admin: Administrative action: object deleted

ADMIN_ACTION_CUSTOM - Admin: Administrative action executed

ADMIN_UPDATE_USER_PROFILE - Admin: User profile updated

ADMIN_CREATE_REQUIRED_ACTION_CONFIG - Admin: Required user action configuration created

ADMIN_UPDATE_REQUIRED_ACTION_CONFIG - Admin: Required user action configuration updated

ADMIN_DELETE_REQUIRED_ACTION_CONFIG - Admin: Required user action configuration deleted

ADMIN_ACTION_REQUIRED_ACTION_CONFIG - Admin: Action on required user action configuration executed

ADMIN_CREATE_ORGANIZATION - Admin: Organization created

ADMIN_UPDATE_ORGANIZATION - Admin: Organization updated

ADMIN_DELETE_ORGANIZATION - Admin: Organization deleted

ADMIN_ACTION_ORGANIZATION - Admin: Action on organization executed

ADMIN_CREATE_ORGANIZATION_MEMBERSHIP - Admin: Organization membership created

ADMIN_UPDATE_ORGANIZATION_MEMBERSHIP - Admin: Organization membership updated

ADMIN_DELETE_ORGANIZATION_MEMBERSHIP - Admin: Organization membership deleted

ADMIN_ACTION_ORGANIZATION_MEMBERSHIP - Admin: Action on organization membership executed

ADMIN_CREATE_ORGANIZATION_GROUP - Admin: Organization group created

ADMIN_UPDATE_ORGANIZATION_GROUP - Admin: Organization group updated

ADMIN_DELETE_ORGANIZATION_GROUP - Admin: Organization group deleted

ADMIN_ACTION_ORGANIZATION_GROUP - Admin: Action on organization group executed

ADMIN_CREATE_ORGANIZATION_GROUP_MEMBERSHIP - Admin: Organization group membership created

ADMIN_UPDATE_ORGANIZATION_GROUP_MEMBERSHIP - Admin: Organization group membership updated

ADMIN_DELETE_ORGANIZATION_GROUP_MEMBERSHIP - Admin: Organization group

membership deleted

`ADMIN_ACTION_ORGANIZATION_GROUP_MEMBERSHIP` - Admin: Action on organization group membership executed

`ADMIN_CREATE_WORKFLOW` - Admin: Workflow created

`ADMIN_UPDATE_WORKFLOW` - Admin: Workflow updated

`ADMIN_DELETE_WORKFLOW` - Admin: Workflow deleted

`ADMIN_ACTION_WORKFLOW` - Admin: Action on workflow executed

`ADMIN_ACTION_USER_INACTIVATED` - Admin: User marked as inactive

`ADMIN_ACTION_USER_INACTIVATION_EMAIL_SENT` - Admin: Inactivity email sent to user

`ADMIN_ACTION_USER_DEACTIVATED` - Admin: User deactivated due to inactivity

`ADMIN_ACTION_USER_DEACTIVATION_EMAIL_SENT` - Admin: Deactivation email sent to user

`ADMIN_ACTION_USER_DELETED` - Admin: User deleted due to inactivity

`ADMIN_ACTION_USER_DELETION_EMAIL_SENT` - Admin: Deletion email sent to user

`ADMIN_ACTION_USER_SCIM_CREATE` - Admin: User created in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the user was created in the target system.

`ADMIN_ACTION_USER_SCIM_UPDATE` - Admin: User updated in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the user was updated in the target system.

`ADMIN_ACTION_USER_SCIM_DELETE` - Admin: User deleted in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the user was deleted in the target system.

`ADMIN_ACTION_GROUP_SCIM_CREATE` - Admin: Group created in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the group was created in the target system.

`ADMIN_ACTION_GROUP_SCIM_UPDATE` - Admin: Group updated in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the group was updated in the target system.

`ADMIN_ACTION_GROUP_SCIM_DELETE` - Admin: Group deleted in SCIM target system

In the referenced application, SCIM provisioning is configured and was triggered manually or automatically. As part of this action, the group was deleted in the target system.

`ADMIN_ACTION_CLIENT_SCIM_SYNC_FINISHED` - Admin: SCIM synchronization completed

In the referenced application, SCIM provisioning is configured and the automatic synchronization was completed.

`ADMIN_ADDRESSVALIDATION_AUTOCOMPLETE` - Address validation: Autocompletion

`ADMIN_ADDRESSVALIDATION_RESOLVE` - Address validation: Resolution

ADMIN_ADDRESSVALIDATION_VALIDATION - Address validation: Validation

ADMIN_PROCESS_STEP_ERROR - Process: Error in a process step